


Technical Data

FLI Repeater Mount

The certified solution to hold the device for the FLI Repeater APP



Purpose / Description

Multiple mounts for the tablet / smartphone devices used for the DCS1100 FLI repeater. The mounts allow an easy installation of pilot's tablet / smartphone and ensure absence of vibration on the device. A USB power supply system for the tablet / smartphone device is available in option.

Details

- Mounts compatible with H125 Maximum Pilot View Kit (MPVK)
- Dedicated mounts can be installed at the following locations:
 - On cockpit floor, forward of the external load floor window
 - Next to the pilot seat (helicopters with MPVK only)
 - On the pilot door lower frame (helicopters with MPVK only)
- 28 VDC Power supply with USB type A and Type C power outlet
- Holders for iPad mini and Smartphones
- Engineered from customer experience



Approval type	Reference Nr.	Authority	Aircraft approved
■ Minor change	MCA 350-000004	EASA	AS350 B2 / B3

Further approvals

- Approval recognized by FAA, TCCA and ANAC via bilateral agreement. Approval can be validated to other civil aviation authority and extended to other aircraft on request.



■ ■
■ **swiss
rotor
services**

Swiss Rotor Services AG
Winterhaldenstrasse 14A
CH-3627 Heimberg
info@swissrotorservices.com
www.swissrotorservices.com

Floor mount

This configuration allows the mount of both smartphone and tablets and it is located on the RH or LH flight deck floor. This installation is compatible with both DART vertical reference floor windows and Maximum Pilot View Kit.

USB chargers installation optionally available.

The change is approved allowing to fly only with small fixed provisions installed permanently while removing the bulky part without tools. This results in a minimal footprint when the FLI repeater is not used.



MPVK door mount

This configuration allows the mount of smartphones and it is located directly on the MPVK door frame. USB chargers installation optionally available.



 **swiss
rotor
services**

Swiss Rotor Services AG
Winterhaldenstrasse 14 A
CH-3627 Heimberg
info@swissrotorservices.com
www.swissrotorservices.com

MPVK floor window mount

This configuration allows the mount of smartphones and it is located in the MPVK floor window frame next to the pilot seat.

Removable parts of the mount allow for the installation without conflicts of MPVK lid.

USB chargers installation optionally available.

The change is approved allowing to fly only with small fixed provisions installed permanently while removing the bulky part without tools. This results in a minimal footprint when the FLI repeater is not used.



 **swiss
rotor
services**

Swiss Rotor Services AG
Winterhaldenstrasse 14A
CH-3627 Heimberg
info@swissrotorservices.com
www.swissrotorservices.com