





Long-Line Equipment


Payload 15 kN / 1'500 kg


Rope damper	Description	Article-Nr.
	Rope damper SD-15 without electric conductor	SD.15.150.01
	Protective cover to Rope damper	SD.15.150.02
	Electric cable to Rope damper	SD.15.150.51


Transport LongLine	Description	Length	Article-Nr.
	Transport LongLineLL-15 without electric conductor, Ø 20 mm cover Multifil/Monofil both sides with thimble	5 m	LL.15.005.01
		10 m	LL.15.010.01
		15 m	LL.15.015.01
		20 m	LL.15.020.01
		30 m	LL.15.030.01
		40 m	LL.15.040.01
		50 m	LL.15.050.01
		60 m	LL.15.060.01
	Transport LongLine LL-15 without electric conductor, Ø 20 mm cover only Multifil both sides with thimble	5 m	LL.15.A05.01
		10 m	LL.15.A10.01
		20 m	LL.15.A20.01
		30 m	LL.15.A30.01
		40 m	LL.15.A40.01
		50 m	LL.15.A50.01
	Transport LongLine LL-15 with electric conductor, Ø 20 mm cover Multifil/Monofil helisided with thimble hook-sided with sling and buckling- and wear protection hose	5 m	LL.15.005.51
		10 m	LL.15.010.51
		20 m	LL.15.020.51
		30 m	LL.15.030.51
		40 m	LL.15.040.51
		50 m	LL.15.050.51
		60 m	LL.15.060.51


Payload 15 kN / 1'500 kg

Adaptor	Description	Article-Nr.
	Adaptor AD-12 to steel rope D13	AD.12.001
	Adaptor AD-12 to steel rope D10	AD.12.004
	Adaptor AD-12 to Transport LongLine LL-15 and LL-20 with electric conductor	AD.12.008


Cone	Description	Article-Nr.
	Cone GO-12 2-pole aluminium closure according the Ø of the Transport LongLine	GO.12.100
	Cone GO-12 4-pole aluminium closure according the Ø of the Transport LongLine	GO.12.102


Swivel	Description
	For Swivel see products Payload 20 kN / 2'000 kg


Cover for Swivel	Description
	For cover of Swivel see products Payload 20 kN / 2'000 kg

Connector	Description
	For connector see products Payload 20 kN / 2'000 kg


Payload 20 kN / 2'000 kg


Rope damper	Description	Article-Nr.
	Rope damper SD-20 without electric conductor	SD.20.150.01
	Rope damper SD-20 without electric conductor	SD.20.150.01
	Electric cable to Rope damper	SD.20.150.51


Transport LongLine	Description	Length	Article-Nr.
	Transport LongLineLL-20 without electric conductor cover Multifil/Monofil Ø 25 mm both sides with thimble	7 m	LL.20.007.01
		10 m	LL.20.010.01
		20 m	LL.20.020.01
		30 m	LL.20.030.01
		40 m	LL.20.040.01
		50 m	LL.20.050.01
	Transport LongLineLL-20 without electric conductor, Ø 25 mm cover only Multifil both sides with thimble	60 m	LL.20.060.01
		10 m	LL.20.A10.01
		20 m	LL.20.A20.01
		30 m	LL.20.A30.01
		40 m	LL.20.A40.01
		50 m	LL.20.A50.01
		60 m	LL.20.A60.01


Transport LongLine	Description	Length	Article-Nr.
	Transport LongLineLL-20 with electric conductor, Ø 25 mm cover Multifil/Monofil helisided with thimble hook-sided with sling and buckling- and wear protection hose	7 m	LL.20.007.51
		10 m	LL.20.010.51
		20 m	LL.20.020.51
		30 m	LL.20.030.51
		40 m	LL.20.040.51
		50 m	LL.20.050.51
60 m	LL.20.060.51		


Payload 14 kN / 1'400 kg

Logging LongLine	Description	Length	Article-Nr.
	Logging LongLine TLP_14 with electric conductor and extra robust monofil cover for logging operations	20 m	TLP_14_20
		30 m	TLP_14_30
		40 m	TLP_14_40
		45 m	TLP_14_45
		50 m	TLP_14_50




Adaptor	Description
	For Adaptor see products Payload 15 kN / 1'500 kg

Cone	Description	Article-Nr.
	Cone GO-20 2-pole aluminium closure according to the Ø of the transport rope	GO.20.100
	Cone GO-20 4-pole aluminium closure according to the Ø of the transport rope	GO.20.102


Swivel	Description	Article-Nr.
	Swivel DG-20 2-pole	DG.20.100
	Swivel DG-20 2-pole with shaft DG.12.012	DG.20.101
	Swivel DG-20 4-pole	DG.20.102


Swivel Cover for	Description	Article-Nr.
	Cover for For Swivel DG-20	DA.20.101

Payload 20 kN / 2'000 kg


Connector	Description	Article-Nr.
	Connector VB-20 without electrical set	VB.20.100.P1
	Connector VB-20 with electrical set 2-pole	VB.20.100.P2
	Connector VB-20 with electrical set 4-pole	VB.20.100.P3
	Connector VB-20 without electrical set	VB.20.101.P1
	Connector VB-20 with electrical set 2-pole	VB.20.101.P2
	Connector VB-20 with electrical set 4-pole	VB.20.101.P3
	Connector VB-20 without electrical set	VB.20.102.P1
	Connector VB-20 with electrical set 2-pole	VB.20.102.P2
	Connector VB-20 with electrical set 4-pole	VB.20.102.P3


Payload 20 kN / 2'000 kg


Cargo hook	Description	Article-Nr.
	Cargo hook LH-20	LH.20.700


Double hook	Description	Article-Nr.
	Double hook DK-20	DK.20.001


Payload 30 kN / 3'000 kg


Transport LongLine	Description	Length	Article-Nr.
	Transport LongLine LL-15 without electric conductor, Ø 25 mm cover Multifil/Monofil both sides with thimble	5 m	LL.30.005.01
		10 m	LL.30.010.01
		20 m	LL.30.020.01
		30 m	LL.30.030.01
		40 m	LL.30.040.01
	Transport LongLine LL-15 without electric conductor, Ø 25 mm cover only Multifil both sides with thimble	5 m	LL.30.A05.01
		10 m	LL.30.A10.01
		20 m	LL.30.A20.01
		30 m	LL.30.A30.01
		40 m	LL.30.A40.01
		50 m	LL.30.A50.01

Adaptor	Description
	For Adaptor see products Payload 50 kN / 5000 kg


Cone	Description
	For Cone see products Payload 50 kN / 5000 kg


Swivel	Description
	For Swivel see products Payload 50 kN / 5000 kg


Double hook	Description	Article-Nr.
	Double hook DK-30	DK.30.001


Connector	Description
	For connector see products Payload 50 kN / 5000 kg


Payload 50 kN / 5'000 kg




Transport LongLine 	Description Transport LongLine with electric conductor, cover Multifil	Length	Article-Nr.
		20 m	TLL_50_20
		25 m	TLL_50_25
		30 m	TLL_50_30
		40 m	TLL_50_40
		50 m	TLL_50_50


Logging LongLine 	Description Logging LongLine TLP_50 with electric conductor and extra robust monofil cover for logging operations	Length	Article-Nr.
		20 m	TLP_50_20
		25 m	TLP_50_25
		30 m	TLP_50_30
		40 m	TLP_50_40
		50 m	TLP_50_50




Adaptor 	Description	Article-Nr.
	Adaptor AD-45 to assembly line	AD.45.103
	Installation kit adaptor AD-45	AD.45.104

Cone 	Description	Article-Nr.
	Cone GO-45 2-pole aluminium closure according the Ø of the transport rope	GO.45.100
	Cone GO-45 4-pole aluminium closure according the Ø of the transport rope	GO.45.101
	Forestry Cone GO-45 2-pole aluminium closure according the Ø of the transport rope	GO.45.103
	Forestry Cone GO-45 4-pole aluminium closure according the Ø of the transport rope	GO.45.104

Swivel 	Description	Article-Nr.
	Swivel DG-45 3-pole	DG.45.100
	Swivel DG-45 4-pole	DG.45.101

Connector	Description	Article-Nr.
	Connector VB-45 without electrical set	VB.45.100.P1
	Connector VB-45 with electrical set 3-pole	VB.45.100.P2
	Connector VB-45 without electrical set	VB.45.101.P1
	Connector VB-45 with electrical set 3-pole	VB.45.101.P2
	Connector VB-45 without electrical set	VB.45.102.P1
	Connector VB-45 with electrical set 3-pole	VB.45.102.P2
	Connector VB-45 with electrical set 4-pole	VB.45.102.P3

Cargo hook	Description	Article-Nr.
	Cargo hook LH-50	LH.50.700

Diverses tobehör	Description	Article-Nr.
	Cover for handwheel to mechanical 601	AD.12.005
	Shield cover complete to Mechanical 601	SA.601.05
	Thimble / Fitting	NK.50.003